December 1952

Reader's Digest

	JIST I EAR OF FUBLICAT	
	The Real Meaning of Christmas . Illustrated London News	-
	We're Selling America Short	
	Cancer by the Carton	
ŀ	This, Too, Is Infidelity Your Life	9
	He Wanted to Fight for Uncle Sam Redbook	12
	Are We All Destined to Be Paupers? Charles Stevenson	17
	A Clant New All Dase at the Lop of the World	21
	England Prepares to Crown a Queen Cosmonolitus	25
	We Haven't Been Getting the Facts About Korea	
	W. C	
	Toscanini Records the Ninth Atlantic Monthly	32
	A Bible for the 20th Century	36
	Who Shall Pay for Our Roads?	41
	A Most Unforgettable Character	45
	Plain Thoughts on Fancy Language	49
	Egypt's Fromising Strong Man	51
	Life in These United States Durable Dietrich Berlin's Fighting University Birth of a City Why Kide Behave Like Little Children	62
	Durable Dietrich Life	65
	Berlin's Fighting University	70
	Birth of a City Baltimore Sunday Sun	73
	The Anatomy of Graft	80
	A Faith for Tough Times From the Book	86
	A Louing Lady Leaves Her Mark New York Times	- 89
	Hero When He Had to Be	91
	Two Hundred Chemicals from a Lump of Coal Fortune	96
	What You Should Know About Your Eyes Collier's	100
	Train to Genon : This Week Every Dog a Gentleman : Dickson Hartwell	105
	Every Dog a Gentleman Dickson Hartwell	109
	Germany's Lonely Jews Look "Not Charity, But a Job"	113
	"Not Charity, But a Job"	117
	The Reindeer As He Really Is United Nations World	121
	Jungle Doctor Saturday Evening Poet	124
	Network to Catch International Crooks Cavalier	128
	The Splendor of December Skies Donald Culross Peattie	132
	The Man Who Dreamt Winners "Tell Me the Next One"	
	Book Cyclone in College	
	Section Cyclone in Calico Nina Brown Baker 141	

Picturesque Speech, 44-Word Power, 103-Laughter, 112-Index, 163

Cancer by the Carton

Condensed from Christian Herald

Roy Norr

or three decades the medical controversy over the part played by smoking in the rise of bronchiogenic carcinoma, better known as cancer of the lung, has largely been kept from public notice. More than 26 years ago the late Dr. James Ewing, distinguished pathologist and leading spirit in the organization of the American Association for Cancer Research (now the American Cancer Society), pleaded for a public educational campaign.

"One may hardly aim to eliminate the tobacco habit," he wrote in his famous essay on cancer prevention, "but cancer propaganda should emphasize the danger signs that go

with it."

No one questions that tobacco smoke irritates the mucous lining of the mouth, nose and throat, or that it aggravates hoarseness, coughing, chronic bronchitis and tonsillitis. It is accepted without argument that smoking is forbidden in cases of gastric and duodenal ulcers; that it interferes with normal digestion; that it contracts the blood vessels, increases the heart rate, raises the blood pressure. In many involvements of heart disease, the first order from the doctor is to cut out smoking immediately.

But what gives grave concern to public-health leaders is that the increase in lung-cancer mortality shows a suspicious parallel to the enormous increase in eigarette consumption (now 2500 eigarettes per year for every human being in the United States).

The latest study, which is published in The Journal of the American Medical Association (May 27, 1952). by a group of noted cancer workers headed by Dr. Alton Ochsner, former president of the American Cancer Society and director of the famous Ochsner Clinic in New Orleans, discloses that, during the period 1920 to 1948, deaths from bronchiogenic carcinoma in the United States increased more than ten times, from 1.1 to 11.3 per 100,ooo of the population. From 1938 to 1948, lung-cancer deaths increased 144 percent. At the present time cancer of the mouth and respiratory tract kills 19,000 men and 5000 women annually in the United States.

"It is probable that bronchiogenic carcinoma soon will become more frequent than any other cancer of the body, unless something is done to prevent its increase," is Dr. Ochsner's conclusion. "It is frightening to speculate on the possible number of bronchiogenic cancers that might develop as the result of the tremendous number of cigarettes consumed in the two decades from 1930 to 1950."

A survey recently published by the United Nations World Health Organization cites the conclusion of an investigation carried out by the Medical Research Council of England and Wales that "above the age of 45 the risk of developing the disease increases in simple proportion with the amount smoked, and may be 50 times as great among those who smoked 25 or more cigarettes daily as among nonsmokers."

A study of 684 cases, made by Ernest L. Wynder and Evarts A. Graham for the American Cancer Society and published in the AMA Journal, May 27, 1950, stated this conclusion: "Excessive and prolonged use of tobacco, especially cigarettes, seems to be an important

factor in the induction of bronchiogenic carcinoma."

More recently Wynder, now associated with Memorial Cancer Center in New York, expanded the statement: "The more a person smokes the greater is the risk of developing cancer of the lung, whereas the risk was small in a nonsmoker or a light smoker."

In his summary Some Practical Aspects of Cancer Prevention, Wynder lists tobacco as the major factor in cancer of the larynx, the pharynx, the esophagus and the oral cavity. "In 1926," he points out, "Ewing wrote that 'though a great body of clinical information shows that many forms of cancer are due to preventable causes there has been little systematic research to impress this fact on the medical profession or to convey it to the public.' This was true then, as it is today."

After a study of world-wide medical opinion, Wynder reaches the same conclusion arrived at by Ewing 26 years ago. "Cancer of the lung," he reports, "presents one of the most striking opportunities for preventive measures in cancer."

Cancer workers want something done, and done now on the basis of present clinical knowledge, to alert the smoking public.

